

---

## SOUND

Front of House :	KBL Custom, 4 x 12" 4 x 2"	
Mixing desk:	Soundcraft Vi3000 48 CH Stage-rack	
Monitor System :	Midas M32 8 x Crest 4801 stereo amplifier (8 active channels) 10 x KBL custom wedge (1x10" 1x1")	
Microphones :	6 x	Shure SM 58
	5 x	Shure SM 57
	4 x	Shure B58a
	1 x	Shure B57a
	1 x	Shure Beta 52a
	1 x	Shure Beta 91a
	2 x	Shure KSM137
	5 x	Sennheiser E604 (w.clips)
	2 x	Sennheiser E906
	1 x	Sennheiser E609
	3 x	Sennheiser MD421
	1 x	Sennheiser E845
	1 x	AKG D-112
	1 x	Audio Technica ATM 25
DI	5 x	BSS active D.I. ar-133
	2 x	Radial J 48
	2 x	Radial Pro D2
	2 x	Radial Pro 48
	2 x	Palmer PAN 03: 19" 4 channel active DI

---

### Maximum mixing level :

**10:00 – 23:00 103 dB(A) / 112 dB(C)**

**23:00 – 09:00 100 dB(A) / 107 dB(C)**

---

Legal frequencies wireless:	470-556 MHz	558-564 MHz
	566-572 MHz	574-580 MHz
	582-588 MHz	590-596 MHz
	598-604 MHz	614-638 MHz (Recommended)
	639-791 MHz	823-832 MHz
	Use of a scanner is recommended	

---

## LIGHTS

Desk		Avolites Pearl Expert Titan + touch wing
Dimmers:	4x	12 Channels 10A Redback dimmers
Stage:	22x	Par s4 (575w)
	6x	CLS colour par 12
	4 x	Clay Paky Axcor 300 Spot
	4x	Cateye blinders
	4x	Par s4 floorspot
	1x	Atomic 3000
	4 x	ACL, 4 pinspots each
Front:	4x	FR 500w
	2x	Par s4 (side)
Floor:	24x	Par64 (500w)
	6x	Multiform multisport
	4x	Robe spot 250
Power	1 x	16A / 400V spare

## DJ sets

	1 x	Pioneer DJM 900 NXS
	1 x	A&H X-one 92
	3 x	Pioneer CDJ 2000 NXS
	4 x	Technics SL-1210 MK2-E
	2 x	QSC K12 powered monitor
Spare	1 x	Pioneer DJM 900 NXS 2
	1 x	Pioneer CDJ 2000 NXS 2
	1 x	Technics SJ-1210 MK2-E
	2 x	QSC K12 powered monitor
Miscellaneous	1 x	Mackie 1604 VLZ 03
	1 x	Midas M32R

## VIDEO

## EKKO Technical Specifications:

Adress: Bemuurde Weerd WZ 3, 3513 BH, Utrecht

# EKKO

---

2 x	Vivitek DH976	4800 Ansi-lumen Max resolution 1920x1200 1.5 zoom ratio
1 x	Panasonic PT-VX400EJ	4000 Ansi-lumen LCD projector Max resolution 1024x768 1.2-1.9 zoomlens Projectionscreen 2.00 x 1.50
1 x	Panasonic PT-VW430EJ	4300 AnsiLumen LCD Projector Max resolution 1280 x 800 1.6 Zoomlens Filmscreen 4 x 2.50