
SOUND

Front of House :	KBL Custom, 4 x 12" 4 x 2"
Mixing desk:	Soundcraft Vi3000 48 CH Stage-rack
Monitor System :	Midas M32 (48 CH Multi, 32 CH Mixer) 8 x Crest 4801 stereo amplifier (8 active channels) 10 x KBL custom wedge (1x10" 1x1")
Microphones :	6 x Shure SM 58 5 x Shure SM 57 4 x Shure B58a 1 x Shure B57a 1 x Shure Beta 52a 1 x Shure Beta 91a 2 x Shure KSM137 1 x Sennheiser 914 5 x Sennheiser E604 (w.clips) 2 x Sennheiser E906 1 x Sennheiser E609 3 x Sennheiser MD421 1 x Sennheiser E845 1 x AKG D-112
DI	4 x BSS ar-133, active 2 x Radial J 48, active 2 x Radial Pro D2, passive stereo 2 x Palmer PAN 03: 19" 4 channel active DI

Maximum mixing level :

10:00 – 23:00 103 dB(A) / 112 dB(C)

23:00 – 09:00 100 dB(A) / 107 dB(C)

Legal frequencies wireless:	470-556 MHz 558-564 MHz 566-572 MHz 574-580 MHz 582-588 MHz 590-596 MHz 598-604 MHz 614-638 MHz 639-791 MHz 823-832 MHz
-----------------------------	--

L I G H T S

Desk		Avolites Pearl Expert Titan + touch wing
Dimmers:	4x	12 Channels 10A Redback dimmers
Stage:	22x	Par s4 (575w)
	6x	CLS colour par 12
	4 x	Clay Packy Axcor 300 spot
	4x	Cateye blinders
	4x	Par s4 floorspot
	1x	Atomic 3000
	4 x	ACL, 4 pinspots each
Front:	4x	PC 500w
	2x	Par s4 (side)
Floor:	30x	Par64 (500w)
	6x	Multiform multisport
	4x	Robe spot 250
Power	1 x	32A / 400V

D J s e t s

	1 x	Pioneer DJM 900 NXS
	3 x	Pioneer CDJ 2000 NXS
	4 x	Technics SL-1210 MK2-E
	2 x	QSC K12 powered monitor
Spare	1 x	Pioneer DJM 900 NXS 2
	1 x	Pioneer CDJ 2000 NXS 2
	2x	Technics SJ-1210 MK2-E
	2 x	QSC K12 powered monitor
Miscellaneous	1 x	Mackie 1604 VLZ 03
	1 x	Midas M21R incl DL 32
	2 x	TurboSound NuQ 122

V I D E O

EKKO Technical Specifications:

Adress: Bemuurde Weerd WZ 3, 3513 BH, Utrecht

EKKO

2 x	Vivitek DH976	4800 Ansi-lumen 1920x1200 1.5 zoom ratio
1 x	Panasonic PT-VX400EJ	4000 Ansi-lumen LCD projector 1024x768 1.2-1.9 zoomlens Projectionscreen 2.00 x 1.50
1 x	Panasonic PT-VW430EJ	4300 AnsiLumen LCD Projector 1280 x 800 1.6 Zoomlens Filmscreen 4 x 2.50
1 x	Epson EB-2250U	5000 AL LCD 1920 x 1200 WUXGA 1.38 – 2.28
1 x	Aten VanCryst VM5404H SDI Network	Matrix Scaler 4 x 4